MINIMUM STANDARD HEALTH PROTOCOLS



☑ CHECKLIST FOR RETAILERS

Health protocols for serving your customers:

Page 1 of 3

As outlined in Governor Abbott's executive order GA-18, non-essential retailers may operate up to 25% of the total listed occupancy. In addition, non-essential retailers may operate through pickup, delivery by mail, or delivery to the customer's doorstep. Shopping malls may operate at up to 25% of the total listed occupancy of the shopping mall, but shopping mall food court dining areas, play areas, and interactive displays and settings must remain closed.

In accordance with Governor Abbott's executive order GA-18, the following are the minimum recommended health protocols for all retailers choosing to operate in Texas. Retailers may adopt additional protocols consistent with their specific needs and circumstances to help protect the health and safety of all employees and customers.

The virus that causes COVID-19 can be spread to others by infected persons who have few or no symptoms. Even if an infected person is only mildly ill, the people they spread it to may become seriously ill or even die, especially if that person is 65 or older with pre-existing health conditions that place them at higher risk. Because of the hidden nature of this threat, everyone should rigorously follow the practices specified in these protocols, all of which facilitate a safe and measured reopening of Texas. The virus that causes COVID-19 is still circulating in our communities. We should continue to observe practices that protect everyone, including those who are most vulnerable.

Please note, public health guidance cannot anticipate every unique situation. Retailers should stay informed and take actions based on common sense and wise judgment that will protect health and support economic revitalization. Retailers should also be mindful of federal and state employment laws and workplace safety standards.

Retailers are encouraged to consider dedicating a certain period of time each day for only at-risk
customers or deliver nurchased goods to vehicles to reduce the need for at-risk customers to ent

ш	customers ¹ or deliver purchased goods to vehicles to reduce the need for at-risk customers to enter the store.
	If practical, monitor what items customers touch to clean or disinfect when the customer leaves the retail establishment.
	Contactless payment is encouraged. Where not available, contact should be minimized.

¹ At-risk customers are those who are 65 or older, especially those with chronic lung disease; moderate to severe asthma; chronic heart disease; severe obesity; diabetes; chronic kidney disease undergoing dialysis; liver disease; or weakened immune system

MINIMUM STANDARD HEALTH PROTOCOLS



RETAILERS: Page 2 of 3

неа	Health protocols for your retail employees:				
	Trair	Train all employees on appropriate cleaning and disinfection, hand hygiene, and respiratory etiquette.			
	Screen employees before coming into the retailer:				
		Send home any employee who has any of the possible COVID-19:	ne following new or worsening signs or symptoms of		
		– Cough	 Sore throat 		
		 Shortness of breath or difficulty 	 Loss of taste or smell 		
		breathing	– Diarrhea		
		- Chills	 Feeling feverish or a measured temperature 		
		 Repeated shaking with chills 	greater than or equal to 100.0 degrees		
		 Muscle pain 	Fahrenheit		
		– Headache	 Known close contact with a person who is lab confirmed to have COVID-19 		
	Do not allow employees with the new or worsening signs or symptoms listed above to return work until:		orsening signs or symptoms listed above to return to		
		work when all three of the following crisince recovery (resolution of fever without	ignosed with COVID-19, the individual may return to teria are met: at least 3 days (72 hours) have passed out the use of fever-reducing medications); and the bry symptoms (e.g., cough, shortness of breath); and coms first appeared; or		
		evaluated by a medical professional or t	nptoms that could be COVID-19 and does not get sested for COVID-19, the individual is assumed to not return to work until the individual has listed above; or		
		completing the above self-isolation peri	ld be COVID-19 and wants to return to work before od, the individual must obtain a medical all for return based on an alternative diagnosis.		
		COVID-19 to return to work until the end of	e contact to a person who is lab-confirmed to have the 14 day self-quarantine period from the last date healthcare workers and critical infrastructure		
	Have	Have employees wash or sanitize their hands upon entering the retailer.			

MINIMUM STANDARD HEALTH PROTOCOLS



RETAILERS: Page 3 of 3

	Have employees maintain at least 6 feet separation from other individuals. If such distancing is not feasible, other measures such as face covering, hand hygiene, cough etiquette, cleanliness, and				
	sanitation should be rigorously practiced.				
	If an employer provides a meal for employees, employers are recommended to have the meal individually packed for each employee.				
	Consistent with the actions taken by many retailers across the state, consider having all employees wear cloth face coverings (over the nose and mouth). If available, employees should consider wearing non-medical grade face masks.				
Health protocols for your retail facilities:					
	Regularly and frequently clean and disinfect any regularly touched surfaces, such as doorknobs, tables, chairs, and restrooms.				
	Disinfect any items that come into contact with customers.				
	Make hand sanitizer, disinfecting wipes, soap and water, or similar disinfectant readily available to employees and customers.				
	Place readily visible signage at the retailer to remind everyone of best hygiene practices.				